

Version 7 Version date: 02nd Jan 2024

Quick Coomassie Stain Safety Data Sheet

SECTION 1: Name of substance and company details

Product Name:	Quick Coomassie Stain
Product code:	GEN-QC-STAIN-1L, GEN-QC-STAIN-3L
Company:	Protein Ark Limited, Calibre Scientific UK Unit 5a, R-evolution, The
	Advanced Manufacturing Park,
	Selden Way, Rotherham, S60 5XA.
Email:	info@proteinark.com
Tel:	+44 (0) 33 33 44 20 25

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

Label elements

Labelling according Regulation (EC) No 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567

Pictogram

Signal Word Danger



Hazard statement(s)

H318 Causes serious eye damage.
Precautionary statement(s)
P280 Wear eye protection/ face protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard none
Statements

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component		Classification	Concentration
Tartaric acid			
CAS-No.	87-69-4	Eye Dam. 1; H318	>= 10 - < 20
EC-No.	201-766-0		%
Registration			
number	01-2119537204-47-		
	XXXX		
α-cyclodextrin			
CAS-No.	10016-20-3	Eye Irrit. 2; H319	>= 1- <10
EC-No.	233-007-4		%
	*		
ethanol			
CAS-No.	64-17-5	Flam. Liq. 2; Eye Irrit. 2; H225	,H319>= 1- <10
EC-No.	200-578-6	Concentration limits:	%
Index-No.	603-002-00-5	>= 50 %: Eye Irrit. 2A, H319;	
Registration	01-2119457610-43-		
number	XXXX		

*A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

Description of first-aid measures General advice

Show this material safety data sheet to the doctor in attendance. If inhaled After inhalation: fresh air. In case of skin contact In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. In case of eye contact: After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses. If swallowed After swallowing: immediately make victim drink water (two glasses at most). Consult a physician. Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

Extinguishing media Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Mixture with combustible ingredients.

Development of hazardous combustion gases or vapours possible in the event of fire.

Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb[®]). Dispose of properly. Clean up affected area.

SECTION 7: Handling and storage

Precautions for safe handling

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities Storage conditions

Tightly closed.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 10: Combustible liquids

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

Control parameters

Ingredients with workplace control parameters

Component		Control parameter s		Basis
ethanol	64-17-5		· · · ·	UK. EH40 WEL - Workplace Exposure Limits

Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril[®] L Body Protection protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Aqueous solutionColor blue greenOdor No data availableMeltingNo data available 100 °Cpoint/freezing pointNo data available No data availableInitial boiling point and boilingrangeFlammability (solid, gas)Upper/lower flammability orexplosive limits

Flash pointNo data availableAutoignition temperatureNo data available No data availableDecompositiontemperature

pHNo data availableViscosity, kinematic:No data available Viscosity, dynamic: No data availableWater solubility at 20 °C solublePartition coefficient: n-Partition coefficient: n-No data availableoctanol/waterNo data available

Vapor pressureNo data availableDensity1.06 g/cm3 at 25 °C Relative densityNo data availableRelative vapor densityNo data available No data availableParticlecharacteristics

Explosive properties Not classified as explosive. Oxidizing properties none Other safety information No data available

SECTION 10: Stability and reactivity

Reactivity

No data available Chemical stability The product is chemically stable under standard ambient conditions (room temperature) . Possibility of hazardous reactions Exothermic reaction with: Strong oxidizing agents silver hydrogen peroxide alkaline substances with Risk of explosion with: silver salt Risk of ignition or formation of inflammable gases or vapours with: Fluorine Violent reactions possible with: The generally known reaction partners of water.

Conditions to avoid no information available Incompatible materials No data available Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects Mixture

Acute toxicity

Oral: No data available Symptoms: Possible symptoms:, mucosal irritations Dermal: No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation Remarks: Mixture causes serious eye damage. Respiratory or skin sensitization No data available Germ cell mutagenicity No data available Carcinogenicity No data available **Reproductive toxicity** No data available Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available Additional Information Endocrine disrupting properties Product:

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components Tartaric acid

Acute toxicity LD50 Oral - Rat - female - > 2,000 - < 5,000 mg/kg (OECD Test Guideline 423) Inhalation: No data available LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402) Skin corrosion/irritation Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes - In vitro study Result: Irreversible effects on the eye (OECD Test Guideline 437) Respiratory or skin sensitization Local lymph node assay (LLNA) - Mouse Result: Not a skin sensitizer. (OECD Test Guideline 429) Germ cell mutagenicity Method: OECD Test Guideline 478 Species: Rat - male and female Result: negative Method: OECD Test Guideline 475 Species: Rat - male - Bone marrow Result: negative Carcinogenicity No data available **Reproductive toxicity** No data available Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available

<u> a-cyclodextrin</u>

Acute toxicity LD50 Oral - Rat - > 10,000 mg/kg Remarks: (External MSDS) Inhalation: No data available Dermal: No data available Skin corrosion/irritation Skin - Rabbit Result: No skin irritation Remarks: (External MSDS) Serious eye damage/eye irritation Eyes - Rabbit Result: Eye irritation Eyes - Rabbit Result: Eye irritation Remarks: (External MSDS) Respiratory or skin sensitization Sensitisation test: - Guinea pig Result: negative Remarks: (External MSDS)

Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): micronucleus. Result: negative Remarks: (External MSDS) Test Type: Ames test Test system: Salmonella typhimurium Result: negative Remarks: (External MSDS) Carcinogenicity No data available **Reproductive toxicity** No data available Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available **ethanol** Acute toxicity LD50 Oral - Rat - male and female - 10,470 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - 124.7 mg/l - vapor (OECD Test Guideline 403) Dermal: No data available Skin corrosion/irritation Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye irritation. (OECD Test Guideline 405)

Respiratory or skin sensitization Maximization Test - Guinea pig Result: negative

(OECD Test Guideline 406)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Methanol

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium Result: negative

Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Result: negative

Method: OECD Test Guideline 478 Species: Mouse - male

Result: Positive results were obtained in some in vivo tests. Carcinogenicity No data available Reproductive toxicity No data available Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure Aspiration hazard No data available

SECTION 12: Ecological information

Toxicity

<u>Mixture</u>

No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Endocrine disrupting properties Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other adverse effects

No data available Components Tartaric acid Toxicity to fish static test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates Static test EC50 - Daphnia magna (Water flea) - 93.3 mg/l - 48 h (OECD Test Guideline 202)

<u>Toxicity to algae</u> static test EC50 - Pseudokirchneriella subcapitata - 51.4 mg/l - 72 h (OECD Test Guideline 201)

static test NOEC - Pseudokirchneriella subcapitata (green algae) - 3.125 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria static test EC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209) α-cyclodextrin					
No data available ethanol Toxicity to fish flow-through test L (US-EPA)	.C50 - Pimephales promelas (fathead minnow) - 15,300 mg/l - 96 h				
aquatic invertebrates	static test LC50 - Ceriodaphnia dubia (water flea) - 5,012 mg/l - 48 h Remarks: (ECHA)				
Toxicity to algaestatic test ErC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l - 72 h(OECD Test Guideline 201)Toxicity to bacteriastatic test IC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)Toxicity to fish(Chronic toxicity)semi-static test NOEC - Danio rerio (zebra fish) - 250 mg/l - 120 h Remarks: (ECHA)					
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 9.6 mg/l - 9 d Remarks: (ECHA)				

SECTION 13: Disposal considerations

Waste treatment methods Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions. Notice Directive on waste 2008/98/EC.

SECTION 14: Transport information

UN number

ADR/RID: - IMDG: - IATA: -UN proper shipping name ADR/RID: Not dangerous goods IMDG:

Not dangerous goods

IATA: Not dangerous goods Transport hazard class(es) ADR/RID: - IMDG: - IATA: -Packaging group ADR/RID: - IMDG: - IATA: -Environmental hazards ADR/RID: no IMDG Marine pollutant: no IATA: no Special precautions for user No data available Further information Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Other regulations Take note of Dir 94/33/EC on the protection of young people at work. Chemical Safety Assessment For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapor.

H318 Causes serious eye damage. H319

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC -Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw -Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS -Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH -Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture Classification procedure:

Eye Dam.1 H318 Calculation method

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Protein Ark Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.



Protein Ark Ltd, Calibre Scientific UK Unit 5a, R-evolution, The Advanced Manufacturing Park, Selden Way, Rotherham, S60 5XA Email: info@proteinark.com Telephone: +44 (0) 33 33 44 20 25 Web: www.proteinark.com Fax: +44 (0) 33 33 44 20 25